4370 Lorimer Road Suite 334B - Whistler BC V0N 1B4 Phone: 604.283.1887 Fax: 604.648.9003

Email: whistleroffice@donovanmedical.com Web: www.donovanmedical.com

#### What is GABAPENTIN?

- This is a medication which blocks nerves and can reduce itching, pain, burning
- It is also a type of anti-seizure medication.
- Most common side effects are dizziness, drowsiness and lower extremity swelling

# How is GABAPENTIN prescribed?

Please use as follows:

- The medicines is available as 300 mg tablets (although rarely 100 mg tabs are used 3 times daily).
- Use 300 mg at night for three nights then 300 mg twice daily (morning and night) for 3 more days and then 300 mg three times per day for next 8 days. Then starting week 3, go up to 600 mg twice daily and then in week 4 go up to 600 mg three times per day (1800 mg per day total)
  - MAXIMUM dose is 3600 mg/day (or 1200 mg 3 times/day).
- DO NOT STOP GABAPENTIN SUDDENLY. It needs to be decreased slowly.

## What conditions will GABAPENTIN be used for?

• Itching, Pain, Pain after shingles, Seizure disorders, Burning

## Who will not be prescribed GABAPENTIN?

• 1. Someone with allergy to the drug 2. Women trying to become pregnant

#### What are the side effects of GABAPENTIN?

- SUICIDAL THOUGHTS and BEHAVIOURS are rare but will be discussed.
- dizziness, sleepiness, swelling in legs
- nausea (take with food), dry mouth, diarrhea or constipation
- increased blood pressure, headaches, changes in appetite.

**Is any blood work needed while taking GABAPENTIN?** Not usually



		_